EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	18	("one-way" or "one way") with function with tree	USPAT	OR	ON	2004/11/13 12:57
S2	1	tree with key with (revo$6 or rekey$3)	USPAT	OR	ON	2004/11/12 17:00
S3	1233	key with (revo$6 or rekey$3)	USPAT	OR	ON	2004/11/12 17:00
S4	10	key with (revo$6 or rekey$3) same tree	USPAT	OR	ON	2004/11/12 17:00
S5	2	("6240188").URPN.	USPAT	OR	OFF	2004/11/12 17:03
S6	6	("5036518" | "5109384" | "5592552" | "5748736" | "5831975" | "6049878").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/12 17:04
S7	15	("5592552").URPN.	USPAT	OR	OFF	2004/11/12 17:06
S8	3	evict$3 same tree	USPAT	OR	ON	2004/11/12 17:06
S9	1	"6049878".pn.	USPAT	OR	ON	2004/11/12 17:47
S10	7	("6049878").URPN.	USPAT	OR	OFF	2004/11/12 17:48
S11	0	("6295361").URPN.	USPAT	OR	OFF	2004/11/12 17:53
S12	0	("6584566").URPN.	USPAT	OR	OFF	2004/11/12 18:10
S13	9	logical with key with hierarchy	USPAT	OR	ON	2004/11/12 18:10
S14	20	fiat and naor	USPAT	OR	ON	2004/11/12 18:44
S15	3	top with down with rekey$3	USPAT	OR	ON	2004/11/12 18:44
S16	0	key with distribut$3 with tree with top near down	USPAT	OR	ON	2004/11/13 12:57
S17	5860	key with distribut$3	USPAT	OR	ON	2004/11/13 12:57
S18	40	key with distribut$3 with tree	USPAT	OR	ON	2004/11/13 12:57
S19	0	key with distribut$3 with tree with start$3 with top	USPAT	OR	ON	2004/11/13 12:58
S20	0	key with distribut$3 with tree with start$3 with root	USPAT	OR	ON	2004/11/13 12:58
S21	0	key with distribut$3 with tree with start$3 with lea	USPAT	OR	ON	2004/11/13 12:58
S22	0	key with distribut$3 with tree with start$3 with leaf	USPAT	OR	ON	2004/11/13 12:58
S23	1	rekey$3 with tree	USPAT	OR	ON	2004/11/13 13:09
S27	1	(rekey$3 or re-key$3) with tree	USPAT	OR	ON	2004/11/13 13:10
S28	6	(rekey$3 or re-key$3) with multicast$3	USPAT	OR	ON	2004/11/13 13:10
S29	2	(rekey$3 key$3 secret) with (user client node) with evict$3	US-PGPUB; USPAT	OR	ON	2005/10/29 12:10

S30	1	updat$3 with (rekey$3 key$3 secret) same (user client node) with evict$3	US-PGPUB; USPAT	OR	ON	2005/10/29 12:10
S31	2	(rekey$3 key$3 secret) same (user client node) with evict$3	US-PGPUB; USPAT	OR	ON	2005/10/29 12:10
S32	1509	(rekey$3 key$3 secret) same (user client node) with (leave evict$3)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:11
S33	721	(rekey$3 key$3 secret) with (user client node) with (leave evict$3)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:11
S34	148	(user client node) with evict$3	US-PGPUB; USPAT	OR	ON	2005/10/29 12:12
S35	0	(user client node) with evict$3 and rekey$3	US-PGPUB; USPAT	OR	ON	2005/10/29 12:12
S36	3	(user client node) with evict$3 and updat$3 with (key secret)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:12
S37	2	(user client node) with evict$3 with (key secret)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:13
S38	2	(user client node) with evict$3 same (key secret)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:13
S39	44	(user client node) with evict$3 and (key secret)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:13
S40	2	(user client node multicast) with evict$3 same (key secret)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:13
S41	45	(user client node multicast) with evict$3 and (key secret)	US-PGPUB; USPAT	OR	ON	2005/10/29 12:13
S42	5	("6240188").URPN.	USPAT	OR	OFF	2005/10/29 12:18
S43	6	("5036518" | "5109384" | "5592552" | "5748736" | "5831975" | "6049878").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/29 12:20
S44	47	("4200770" | "4531020" | "4578531" | "4776011" | "4881263" | "5309516" | "5351295" | "5361256" | "5588060" | "5588061" | "5600642" | "5630184" | "5633933" | "5663896" | "5724425" | "5748736" | "5761305" | "5805578" | "5841864" | "5850451" | "5889865" | "5920630" | "5987131" | "6009274" | "6049878" | "6055575" | "6088336" | "6119228" | "6151395" | "6216231" | "6226383" | "6240188" | "6256733" | "6263435" | "6272135" | "6279112" | "6295361" | "6330671" | "6332163" | "6363154" | "6483921" | "6507562" | "6584566" | "6633579" | "6636968" | "6643773" | "6684331").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/29 12:21

S45	8	(US-6240188-$ or US-6941457-$ or US-6901510-$ or US-6483921-$ or US-6330671-$ or US-6295361-$ or US-6151395-$ or US-5630184-$). did.	USPAT	OR	OFF	2005/10/29 13:11
S46	2	S45 and updat$3 with key with (period$6 time)	US-PGPUB; USPAT	OR	ON	2005/10/29 13:31
S47	2137	updat$3 with key with (period$6 time)	US-PGPUB; USPAT	OR	ON	2005/10/29 13:32
S48	58	updat$3 with key with predetermin$3 with (period$6 time) and @pd<"20010418"	US-PGPUB; USPAT	OR	ON	2005/10/29 13:32
S49	8	(US-6240188-$ or US-6941457-$ or US-6901510-$ or US-6483921-$ or US-6330671-$ or US-6295361-$ or US-6151395-$ or US-5630184-$). did.	USPAT	OR	OFF	2005/10/29 14:02
S50	2	S49 and (one$way hash) with function	USPAT	OR	ON	2005/10/29 14:03
S51	507	(one$way near functin near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) with secret	US-PGPUB; USPAT	OR	ON	2007/05/23 13:11
S52	507	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) with secret	US-PGPUB; USPAT	OR	ON	2007/05/23 13:12
S53	0	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) with node near secret	US-PGPUB; USPAT	OR	ON	2007/05/23 13:12
S54	1	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) same node near secret	US-PGPUB; USPAT	OR	ON	2007/05/24 09:44
S55	23	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) and node near secret	US-PGPUB; USPAT	OR	ON	2007/05/23 14:13
S56	1	(one$way with function with chain one$way with function with tree logical near key near (hierarch$4 tree) key near manag$5 OFC OFT LKH) same node near secret	US-PGPUB; USPAT	OR	ON	2007/05/23 14:37

EAST Search History

S57	23	(one$way with function with chain one$way with function with tree logical near key near (hierarch$4 tree) key near manag$5 OFC OFT LKH) and node near secret	US-PGPUB; USPAT	OR	ON	2007/05/23 14:38
S58	18	(one$way with function with chain one$way with function with tree logical near key near (hierarch$4 tree) key near manag$5 OFC OFT LKH) and node adj secret	US-PGPUB; USPAT	OR	ON	2007/05/23 14:39
S59	65	(one$way with function with chain one$way with function with tree logical near key near (hierarch$4 tree) key near manag$5 OFC OFT LKH) same node adj (secret key)	US-PGPUB; USPAT	OR	ON	2007/05/23 14:39
S60	12780	((one$way with function with chain) (one$way with function with tree) (logical near key near (hierarch$4 tree)) (key near manag$5) "OFC" "OFT" "LKH")	US-PGPUB; USPAT	OR	ON	2007/05/23 14:51
S61	1	(("without" "not") near (updat$3 chang$3)) with (node adj (secret key))	US-PGPUB; USPAT	OR	ON	2007/05/23 15:53
S64	7	(fix$2 (("without" "not") near (updat$3 chang$3))) with (node adj (secret key))	US-PGPUB; USPAT	OR	ON	2007/05/23 14:49
S65	3	(fix$2 (("without" "not") near (updat$3 chang$3))) with (leaf adj (secret key))	US-PGPUB; USPAT	OR	ON	2007/05/23 14:50
S66	1819	((one$way with function with chain) (one$way with function with tree) (logical near key near (hierarch$4 tree)) (key near manag$5) "OFC" "OFT" "LKH") and (member node leaf) with (evict$3 leaves depart$3)	US-PGPUB; USPAT	OR	ON	2007/05/23 14:52
S67	1816	((one$way with function with chain) (one$way with function with tree) (key near manag$5) "OFC" "OFT") and (member node leaf) with (evict$3 leaves depart$3)	US-PGPUB; USPAT	OR	ON	2007/05/23 14:52
S68	177	((one$way with function with chain) (one$way with function with tree) (key near manag$5) "OFC" "OFT") and (member node leaf) with (evict$3 leaves depart$3) and (fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (secret key)	US-PGPUB; USPAT	OR	ON	2007/05/23 14:55

S69	140	((one$way with function with chain) (one$way with function with tree) (key near manag$5) "OFC" "OFT") and (member node leaf) with (evict$3 leaves depart$3) and (fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (secret key) and (@ad<"20040418" @prad<"20010418")	US-PGPUB; USPAT	OR	ON	2007/05/23 15:04
S70	5	((one$way with function with chain) (one$way with function with tree) (key near manag$5) "OFC" "OFT") and (member node leaf) with (evict$3 leaves depart$3) same (fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (secret key) and (@ad<"20040418" @prad<"20010418")	US-PGPUB; USPAT	OR	ON	2007/05/23 15:00
S71	0	((one$way with function with chain) (one$way with function with tree) (key near manag$5) "OFC" "OFT") and (member node leaf) with (evict$3 leaves depart$3) and (fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (secret key) and (@ad<"20040418" @prad<"20010418") not S60	US-PGPUB; USPAT	OR	ON	2007/05/23 15:06
S72	135	((one$way with function with chain) (one$way with function with tree) (key near manag$5) "OFC" "OFT") and (member node leaf) with (evict$3 leaves depart$3) and (fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (secret key) and (@ad<"20040418" @prad<"20010418") not S70	US-PGPUB; USPAT	OR	ON	2007/05/23 15:09
S73	5	(fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (node leaf) near (secret key) and (@ad<"20040418" @prad<"20010418") not S70	US-PGPUB; USPAT	OR	ON	2007/05/23 15:09
S74	5	(fix$2 "without" "not") with (chang$3 updat$3 renew$3) with (node leaf) near (secret key) and (@ad<"20040418" @prad<"20010418")	US-PGPUB; USPAT	OR	ON	2007/05/23 15:12
S75	43	node adj secret	US-PGPUB; USPAT	OR	ON	2007/05/23 15:13

S76	1	(("without" "not") near (generat$3 creat$3 calculat$3 updat$3 chang$3)) with (node adj (secret key))	US-PGPUB; USPAT	OR	ON	2007/05/23 15:53
S77	12779	(one$way with function with chain one$way with function with tree key near manag$5 OFC OFT LKH)	US-PGPUB; USPAT	OR	ON	2007/05/23 16:05
S78	617	(one$way with function with chain one$way with function with tree key near manag$5 OFC OFT LKH) and key near updat$3	US-PGPUB; USPAT	OR	ON	2007/05/23 16:05
S79	190	(one$way with function with chain one$way with function with tree key near manag$5 OFC OFT LKH) same key near updat$3	US-PGPUB; USPAT	OR	ON	2007/05/23 16:05
S80	190	(one$way with function with chain one$way with function with tree key near manag$5 OFC OFT) same key near updat$3	US-PGPUB; USPAT	OR	ON	2007/05/23 17:04
S81	6	(one$way with function with chain one$way with function with tree key near manag$5 OFC OFT) same updat$3 near secret	US-PGPUB; USPAT	OR	ON	2007/05/24 09:05
S82	3	blind adj key with (generat$3 updat$3)	US-PGPUB; USPAT	OR	ON	2007/05/24 09:05
S83	20	("6240188").URPN.	USPAT	OR	OFF	2007/05/24 09:14
S84	1	("6941457").URPN.	USPAT	OR	OFF	2007/05/24 09:25
S85	47	("4200770" | "4531020" | "4578531" | "4776011" | "4881263" | "5309516" | "5351295" | "5361256" | "5588060" | "5588061" | "5600642" | "5630184" | "5633933" | "5663896" | "5724425" | "5748736" | "5761305" | "5805578" | "5841864" | "5850451" | "5889865" | "5920630" | "5987131" | "6009274" | "6049878" | "6055575" | "6088336" | "6119228" | "6151395" | "6216231" | "6226383" | "6240188" | "6256733" | "6263435" | "6272135" | "6279112" | "6295361" | "6330671" | "6332163" | "6363154" | "6483921" | "6507562" | "6584566" | "6633579" | "6636968" | "6643773" | "6684331").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 09:26
S86	1	evict$3 with (member node client) same updat$3 with key with secret	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/24 09:27

EAST Search History

S87	2	evict$3 with (member node client) and updat$3 with key with secret	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/24 09:27
S88	92	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) same node near (secret key)	US-PGPUB; USPAT	OR	ON	2007/05/24 09:44
S89	0	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) same (without "not") with (upat$3 $2generat$3 $2calculat$3 $2comput$3) with node near (secret key)	US-PGPUB; USPAT	OR	ON	2007/05/24 09:45
S90	1	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) same (((without "not") with (upat$3 $2generat$3 $2calculat$3 $2comput$3)) fixed) with node near (secret key)	US-PGPUB; USPAT	OR	ON	2007/05/24 09:46
S91	0	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) same (((without "not") with (upat$3 $2generat$3 $2calculat$3 $2comput$3)) fixed) with node near (secret key)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:46
S92	0	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) and (((without "not") with (upat$3 $2generat$3 $2calculat$3 $2comput$3)) fixed) with node near (secret key)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:47
S93	7	(one$way near function near chain one$way near function near tree logical near key near (hierarch$4 tree) key near manag$5) and (((without "not") with (upat$3 $2generat$3 $2calculat$3 $2comput$3)) fixed) with node near (secret key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:48

S94	7	(one$way near function near chain one$way near2 tree logical near key near (hierarch$4 tree) key near manag$5) and (((without "not") with (upat$3 $2generat$3 $2calculat$3 $2comput$3)) fixed) with node near (secret key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:55
S95	575	mcgrew.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:55
S98	10	(("6049878") or ("6606706") or ("6226743") or ("6397329") or ("6584566") or ("5748736") or ("5592552") or ("5592552") or ("7043024") or ("6275859") or ("20020147906")).PN.	US-PGPUB; USPAT	OR	OFF	2007/12/03 13:35